



**Revillusion**<sup>®</sup>  
by Dimplex

ThruView<sup>®</sup> Electric  
Fireboxes and Log Sets

**Dimplex**<sup>®</sup>



# Revillusion fireplaces... now with **endless possibilities.**

Pick a size:



24 inch



30 inch



36 inch




36 inch portrait



42 inch

Pick a backer  
(herringbone or  
weathered concrete):



Herringbone



Concrete

Upgrade the log set:



Fresh Cut Log Set



Birch Log Set


Add an accessory:



Glass Pane



Glass Door



Trims (24" / 30")



The Future of  
Fireplaces is Clear.™

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

## Herringbone Backer



**RBF24DLX**

24-1/4" x 22-7/8" x 12-1/8"  
(WxHxD)  
61.6 cm x 58.1 cm x 30.8 cm



**RBF30**

31-1/4" x 26-5/8" x 12-1/8" (WxHxD)  
79.2 cm x 67.6 cm x 30.8 cm



**RBF36**

37-1/4" x 26-5/8" x 12-1/8" (WxHxD)  
94.4 cm x 67.6 cm x 30.8 cm



**RBF36P**

37-1/4" x 31" x 12-1/8" (WxHxD)  
94.4 cm x 78.8 cm x 30.8 cm



**RBF42**

43-1/4" x 31" x 12-1/8" (WxHxD)  
109.8 cm x 78.8 cm x 30.8 cm



# Built-in Electric Fireboxes



**RBF24DLX**  
Shown with Glass Pane (included)  
Birch Log Set (RBFL24BR) and  
Trim Kit (RBF24TRIM40)



**RBF30WC**  
Shown with  
Fresh Cut Log Set  
(RBFL30FC)

## Weathered Concrete Backer



**RBF24DLXWC**  
24-1/4" x 22-7/8" x 12-1/8" (WxHxD)  
61.6 cm x 58.1 cm x 30.8 cm



**RBF30WC**  
31-1/4" x 26-5/8" x 12-1/8" (WxHxD)  
79.2 cm x 67.6 cm x 30.8 cm



**RBF36WC**  
37-1/4" x 26-5/8" x 12-1/8" (WxHxD)  
94.4 cm x 67.6 cm x 30.8 cm



**RBF36PWC**  
37-1/4" x 31" x 12-1/8" (WxHxD)  
94.4 cm x 78.8 cm x 30.8 cm



**RBF42WC**  
43-1/4" x 31" x 12-1/8" (WxHxD)  
109.8 cm x 78.8 cm x 30.8 cm



## Firebox Features

-  **Revillusion® Flame Technology**  
Flames are larger, brighter and more random, appearing from within the logs.
-  **ThruView™ Full-depth Design**  
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mirage™ Flame Panel**  
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **Realogs® Plus**  
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **More authentic day or night;**  
270-degree surround with natural soot markings.
-  **Mood Lighting**  
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**  
Adjust the flame base color to red or blue.
-  **Brightness and Flicker**  
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**  
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**  
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**  
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).





# Plug-in Electric Log Sets



## Revillusion® Flame Technology

Flames are larger, brighter and more random, appearing from within the logs.



## ThruView™ Full-depth Design

See clear through the flames to the back of the fireplace for a more authentic experience.



## Mirage™ Flame Panel

Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.



## Realogs® Plus

A full grate of life-size hardwood-cast logs, tiered for greater depth.



## 360° Light

Add flickering light to enhance the firelight effect.



## Color Enhancement

Adjust the flame base color to red or blue. (RLG25 only)



## Brightness

Adjust light level to suit the room.



## Hidden Heat

Fan-forced ceramic heater provides perfect comfort for small spaces.



## Just Plug It In

Simply plug into any standard household outlet for instant ambiance.



RLG20BR



RLG25FC



RLG20

23-3/4" x 19" x 12-1/2" (WxHxD)  
60.3 cm x 48.2 cm x 31.7 cm  
\*Ash mat sold separately



RLG20BR

23-3/4" x 19" x 12-1/2" (WxHxD)  
60.3 cm x 48.2 cm x 31.7 cm



RLG20FC

23-3/4" x 19" x 12-1/2" (WxHxD)  
60.3 cm x 48.2 cm x 31.7 cm



RLG25

25-5/8" x 19" x 13" (WxHxD)  
65.0 cm x 48.2 cm x 32.9 cm



RLG25BR

25-5/8" x 19" x 13" (WxHxD)  
65.0 cm x 48.2 cm x 32.9 cm



RLG25FC

25-5/8" x 19" x 13" (WxHxD)  
65.0 cm x 48.2 cm x 32.9 cm



## Single Glass Pane

Tempered front glass.



### RBFGLOSS30

29-1/4" W x 22-1/8" H x 3/8" D  
(74.0cm x 56.1cm x 1.1cm)

### RBFGLOSS36

35-1/8" W x 22-1/8" H x 3/8" D  
(89.1cm x 56.1cm x 1.1cm)

### RBFGLOSS36P

35-1/8" W x 26-5/8" H x 3/8" D  
(89.1cm x 67.5cm x 1.1cm)

### RBFGLOSS42

41-1/8" W x 26-5/8" H x 3/8" D  
(104.5cm x 67.5cm x 1.1cm)

## RBFPUG



120V power supply cord.

## Double Glass Doors

Functional doors with tempered glass.



### RBFDOR30

33-3/4" W x 27-1/4" H x 1-1/4" D  
(85.8cm x 69.4cm x 3.7cm)

### RBFDOR36

39-3/4" W x 27-1/4" H x 1-1/4" D  
(101.1cm x 69.4cm x 3.7cm)

### RBFDOR36P

39-3/4" W x 31.3/4" H x 1-1/4" D  
(101.1cm x 80.8cm x 3.7cm)

### RBFDOR42

47-7/8" W x 31-3/4" H x 1-1/4" D  
(116.5cm x 80.8cm x 3.7cm)

## REM-KIT - Ash Mat for RLG20



18-7/8" x 1-1/8" x 5-5/8" (WxHxD)  
47.8 cm x 3.0 cm x 14.1 cm

## Fresh Cut Log Set



### RBFL24FC

Compatible with RBF24DLX & RBF24DLXWC  
18-1/2" W x 10-7/8" H x 11" D  
(46.8 cm x 27.4 cm x 27.9 cm)

### RBFL30FC

Compatible with RBF30 and RBF30WC  
22-3/8" W x 10-7/8" H x 11" D  
(56.8 cm x 27.4 cm x 27.9 cm)

### RBFL42FC

Compatible with RBF36, RBF36WC, RBF36P,  
RBF36PWC, RBF42 & RBF42WC  
26-1/2" W x 11-1/8" H x 11" D  
(67.2 cm x 28.1 cm x 27.9 cm)

## Birch Log Set



### RBFL24BR

Compatible with RBF24DLX & RBF24DLXWC  
18-1/2" W x 10-7/8" H x 11" D  
(46.8 cm x 27.4 cm x 27.9 cm)


### RBFL30FC

Compatible with RBF30 and RBF30WC  
22-3/8" W x 10-7/8" H x 11" D  
(56.8 cm x 27.4 cm x 27.9 cm)

### RBFL42FC

Compatible with RBF36, RBF36WC, RBF36P,  
RBF36PWC, RBF42 & RBF42WC  
26-1/2" W x 11-1/8" H x 11" D  
(67.2 cm x 28.1 cm x 27.9 cm)


## 24" Trim Kits



**RBFL24TRIM36**  
- 36" Black  
Installation Trim

**RBFL30TRIM38**  
- 38" Black  
Installation Trim

## 30" Trim Kits



**RBFL24TRIM40**  
- 40" Black  
Installation Trim

**RBFL30TRIM44**  
- 44" Black  
Installation Trim

Your authorized Dimplex dealer:

For more information and  
product specifications, please  
visit [dimplex.com](http://dimplex.com)

Visit us online at: [www.dimplex.com](http://www.dimplex.com)



**Glen Dimplex**  
**AMERICAS**

Enhancing the moments that matter in life.